

Alphabetical Data Element List

Element Name	Collected For:
<i>ABG Done</i>	PN-1
<i>ACEI Clinical Trial</i>	AMI-3, HF-3
<i>ACEI Prescribed at Discharge</i>	AMI-3, HF-3
<i>Admission Date</i>	All Records
<i>Admission Diagnosis</i>	All SIP Measures
<i>Admission Source</i>	All Records (used in algorithm for AMI-1, AMI-6, AMI-7, AMI-7a, AMI-8, AMI-8a, AMI-9, PN-1, PN-2, PN-3b, PN-5, PN-5a, PN-5b, PN-6a, PN-6b, PN-7)
<i>Admission Type</i>	All Records
<i>Adult Smoking Counseling</i>	PN-4, AMI-4, HF-4
<i>Adult Smoking History</i>	PN-4, AMI-4, HF-4
<i>Antibiotic Administered During the First 36 Hours after Arrival</i>	PN-6a, PN-6b
<i>Antibiotic Allergy (SIP)</i>	SIP-2
<i>Antibiotics During Stay</i>	All SIP Measures
<i>Antibiotics Prior to Arrival (PN)</i>	PN-5, PN-5a, PN-5b
<i>Antibiotics Prior to Arrival (SIP)</i>	All SIP Measures
<i>Antibiotic Received</i>	PN-3b, PN-5, PN-5a, PN-5b, PN-6a, PN-6b
<i>Arrival Date</i>	AMI-1, AMI-6, AMI-7, AMI-7a, AMI-8, AMI-8a, PN-3, PN-5, PN-5a, PN-5b, PN-6a, PN-6b
<i>Arrival Time</i>	AMI-7, AMI-7a, AMI-8, AMI-8a, PN-3b, PN-5, PN-5a, PN-5b, PN-6a, PN-6b
<i>Aspirin Prescribed at Discharge</i>	AMI-2
<i>Aspirin Received Within 24 Hours Before or After Hospital Arrival</i>	AMI-1
<i>Beta Blocker Prescribed at Discharge</i>	AMI-5
<i>Beta Blocker Received Within 24 Hours After Hospital Arrival</i>	AMI-6
<i>Birth Weight</i>	PR-2 (used for risk adjustment)
<i>Birthdate</i>	All Records
<i>Blood Culture Collected After Arrival</i>	PN-3b
<i>Blood Cultures Prior to Arrival</i>	PN-3b
<i>Case Identifier</i>	All Records
<i>Comfort Measures Only</i>	All PN measures
<i>Compromised</i>	PN-6a, PN-6b
<i>Contraindication to ACEI at Discharge</i>	AMI-3, HF-3
<i>Contraindication to Aspirin at Discharge</i>	AMI-2
<i>Contraindication to Aspirin on Arrival</i>	AMI-1
<i>Contraindication to Beta Blocker at Discharge</i>	AMI-5
<i>Contraindication to Beta Blocker on Arrival</i>	AMI-6
<i>Date of Antibiotic (SIP)</i>	All SIP Measures

Element Name	Collected For:
<i>Date of Infection (SIP)</i>	SIP-3
<i>Discharge Date</i>	All Records (used in algorithm for AMI-1, AMI-6, PR-2, PN-7)
<i>Discharge Instructions Address Activity</i>	HF-1
<i>Discharge Instructions Address Diet</i>	HF-1
<i>Discharge Instructions Address Follow-up</i>	HF-1
<i>Discharge Instructions Address Medications</i>	HF-1
<i>Discharge Instructions Address Symptoms Worsening</i>	HF-1
<i>Discharge Instructions Address Weight Monitoring</i>	HF-1
<i>Discharge Status</i>	All Records (used in algorithm for AMI-2, AMI-3, AMI-4, AMI-5, AMI-9, All HF Measures, PN-2, PN-4, PN-7, PR-2)
<i>First PCI Time</i>	AMI-8, AMI-8a
<i>Health Care Organization Identifier</i>	Used in data transmission. Please see the most current version of the ORYX® Technical Implementation Guide for details
<i>History of Antibiotic Allergy (PN)</i>	PN-6a
<i>ICD Population Size</i>	Used in the data transmission. Please see the most current version of the ORYX® Technical Implementation Guide for details
<i>ICD-9-CM Other Diagnosis Codes</i>	All Records (used in algorithm for AMI-9, All PN Measures, All PR Measures)
<i>ICD-9-CM Other Procedure Codes</i>	All Records (used in algorithm for AMI-8, AMI-8a, PR-1, PR-3, All SIP Measures)
<i>ICD-9-CM Other Procedure Dates</i>	All Records (used in algorithm for AMI-8, AMI-8a)
<i>ICD-9-CM Principal Diagnosis Code</i>	All Records
<i>ICD-9-CM Principal Procedure Code</i>	All Records (used in algorithm for AMI-8, AMI-8a, PR-1, PR-3, All SIP Measures)
<i>ICD-9-CM Principal Procedure Date</i>	All Records (used in algorithm for AMI-8, AMI-8a)
<i>ICU Transfer or Admission Within First 24 Hours</i>	PN-6a, PN-6b
<i>Infection Prior to Anesthesia</i>	All SIP Measures
<i>Influenza Vaccination Status</i>	PN-7
<i>Initial Antibiotic Start Date</i>	PN-3b, PN-5, PN-5a, PN-5b
<i>Initial Antibiotic Start Time</i>	PN-3b, PN-5, PN-5a, PN-5b
<i>Initial Blood Culture Collection Date</i>	PN-3b
<i>Initial Blood Culture Collection Time</i>	PN-3b
<i>Initial ECG Interpretation</i>	AMI-7, AMI-7a, AMI-8, AMI-8a
<i>LVF Assessment</i>	HF-2
<i>LVSD</i>	AMI-3, HF-3
<i>Measure Category Assignment</i>	Used for measure calculation. NOTE: All hospital core measures use this data element in the core measure verification process.

Element Name	Collected For:
	Used in data transmission for continuous variable measures (AMI-7, AMI-8, PN-5) NOTE: Also used during the core measure verification process
<i>Measurement Value</i>	
<i>Name of Antibiotic Administered During First 36 Hours (PN)</i>	PN-6a, PN-6b
<i>Name of Antibiotic (SIP)</i>	SIP-1, SIP-2
<i>Number of Cases with Missing or Invalid Numerator Data</i>	Used in data transmission. Please see the most current version of the <u>ORYX® Technical Implementation Guide</u> for details
<i>Number of Cases with Missing or Invalid Population Data</i>	Used in data transmission. Please see the most current version of the <u>ORYX® Technical Implementation Guide</u> for details
<i>Number of Cases with Missing or Invalid Risk Adjustment Data</i>	Used in data transmission. Please see the most current version of the <u>ORYX® Technical Implementation Guide</u> for details
<i>Oral Antibiotics</i>	All SIP Measures
<i>Other Patient Case Identifier</i>	All Records
<i>Other Surgeries</i>	SIP-3
<i>Patient HIC#</i>	All Records
<i>Patient Social Security Number</i>	All Records
<i>Payment Source</i>	All Records
<i>Performance Measure Identifier</i>	Used in data transmission. Please see the most current version of the <u>ORYX® Technical Implementation Guide</u> for details.
<i>Performance Measurement System (PMS) Identifier</i>	Used in data transmission and verification. Please see the most current version of the <u>ORYX® Technical Implementation Guide</u> for details.
<i>Pneumococcal Vaccination Status Documented</i>	PN-2
<i>Pneumonia Working Diagnosis on Admission</i>	All PN Measures
<i>Postal Code</i>	All Records
<i>Postoperative Infections</i>	SIP-3
<i>Prophylactic Antibiotic</i>	SIP-2, SIP-3b
<i>Provider ID</i>	All Records
<i>Pseudomonas Risk</i>	PN-6a
<i>Pulse Oximetry Done</i>	PN-1
<i>Risk Adjustment Category Assignment</i>	Used for risk adjusted measures (AMI-9, All PR Measures) Note: Also used during the core measure verification process.
<i>Route of Antibiotic Administration (PN)</i>	PN-6a, PN-6b
<i>Route of Antibiotic (SIP)</i>	SIP-1, SIP-2
<i>Sample</i>	Used in data transmission. Please see the most current version of the <u>ORYX® Technical Implementation Guide</u> for details.
<i>Sex</i>	All Records (used in algorithm for AMI-9, PR-2)

Element Name	Collected For:
<i>Start Date of Antibiotic Administration (PN)</i>	PN-6a, PN-6b
<i>Start Time of Antibiotic Administration (PN)</i>	PN-6a, PN-6b
<i>Surgery End Date</i>	SIP-3
<i>Surgery End Time</i>	SIP-3
<i>Surgery Performed During Stay</i>	All SIP Measures
<i>Surgery Start Date</i>	All SIP Measures
<i>Surgical Incision Time</i>	All SIP Measures
<i>Testcase Batch Number</i>	Used in verification
<i>Thrombolytic Administration</i>	AMI-7, AMI-7a, AMI-8, AMI-8a
<i>Thrombolytic Administration Date</i>	AMI-7, AMI-7a
<i>Thrombolytic Administration Time</i>	AMI-7, AMI-7a
<i>Time of Antibiotic(SIP)</i>	All SIP Measures
<i>Transfer From Another ED</i>	AMI-1, AMI-6, AMI-7, AMI-7a, AMI-8, AMI-8a, All PN Measures
<i>Type of Surgery</i>	All SIP Measures